

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Neo-Fermit Universal
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Fermit GmbH Zur Heide 4, D- 53560 Vettelschoß www.fermit.de

· Informing department:

Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de

· 1.4 Emergency telephone number:

Phone +49 (0) 2645-2207 (Office hours 7:00 - 15:30)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Sealing paste of oil mixes and fillers. The filler used is asbestos-free.

· Dangerous components:		
CAS: 14807-96-6 EINECS: 238-877-9	Talc (Mg3H2(SiO3)4) substance with a Community workplace exposure limit	25 - 50%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-X	White mineral oil, petroleum	25 - 50%
CAS: 8002-74-2 EINECS: 232-315-6 Reg.nr.: 01-2119488076-30-X	Paraffin waxes and Hydrocarbon waxes substance with a Community workplace exposure limit	≥ 2.5 - < 10%
		(Contd. on page 2)

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) substance with a Community workplace exposure limit	(Contd. from page 1) ≥ 2.5 - < 10%
CAS: 637-12-7 EINECS: 211-279-5	aluminium tristearate, pure substance with a Community workplace exposure limit	≥ 0.1 - < 2.5%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Inhalation is not considered a potential way of exposure.
- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Seek medical treatment.
- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

The product itself does not burn.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Not applicable.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- 6.4 Reference to other sections No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special precautions necessary if used correctly.

Avoid contact with eyes and skin.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Keep container tightly closed.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

(Contd. from page 2)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:			
14807-96-6 Talc (Mg3H2(14807-96-6 Talc (Mg3H2(SiO3)4)		
WEL (Great Britain)	Long-term value: 1 mg/m³		
8002-74-2 Paraffin waxes	8002-74-2 Paraffin waxes and Hydrocarbon waxes		
WEL (Great Britain)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³		
14808-60-7 Quartz (SiO2)			
BOELV (European Union)	BOELV (European Union) Long-term value: 0.1* mg/m³ *respirable fraction		
637-12-7 aluminium tristo	earate, pure		
WEL (Great Britain)	Long-term value: 2 mg/m³		

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- · Eye protection: Not required.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty
Colour: Light grey
Odour: odourless

(Contd. on page 4)

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

	(Contd. from p	page 3
· Change in condition Melting point/freezing point: Initial boiling point and boiling r	Not determined range: Not determined	
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Density	Not determined	
Solubility in / Miscibility with Water: 9.2 Other information	Insoluble No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

804	42-47-5	White	mineral	oil,	petr	ole	um
						-	

Oral	LD50	> 5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50	> 5 mg/l/4h (rat) (OECD 403)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity

8042-47-5 White mineral oil, petroleum

Oral NOAEL (90d) > 1,900 mg/kg bw/day (rat) (OECD 408)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

зв -

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

(Contd. from page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

EC50 (static) > 100 mg/l/48h (Daphnia magna) (OECD 202)

LC50 (static) > 1,000 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

NOEL (static) > 100 mg/l/72h (Pseudokirchneriella subcapitata)

- 12.2 Persistence and degradability No further relevant information available.
- · Other information:

The product is slightly biodegradable.

Biodegradability is not probable due to the consistency as well as the low degree of water solubility of the product.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

Smaller quantities can be disposed with household waste.

 European 	waste	catal	logue
------------------------------	-------	-------	-------

•	<u> </u>
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU)
	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

	(Contd. from page
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ani of Marpol and the IBC Code	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

(Contd. on page 7)

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2018 Version number 5 Revision: 14.06.2018

Trade name: Neo-Fermit Universal

(Contd. from page 6)

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1 • * Data compared to the previous version altered.