

6303662 - GRF KOLMAT JR 875G*12 L58

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: GRF KOLMAT JR 875G*12 L58

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com
 Further information obtainable from: Bison QESH
- **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS07

Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling:
 pumice
- · Hazard statements

H319 Causes serious eye irritation.

(Contd. on page 2)



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

(Contd. of page 1)

Trade name: GRF KOLMAT JR 875G*12 L58

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- If medical advice is needed, have product container or label at hand. P101
- P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains Cement, portland, chemicals, Flue dust, portland cement, N-1-naphthylaniline. May produce an allergic reaction.

· Labelling of packages where the contents do not exceed 125 ml

Hazard pictograms



P501

- · Signal word Warning
- · Hazard-determining components of labelling:
- pumice

Hazard statements

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P271 Use only outdoors or in a well-ventilated area.
- P501 Dispose of contents/container in accordance with national regulations.
- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Sealant

 Dangerous 	components:
-------------------------------	-------------

[•] Dangerous components:		
CAS: 1332-09-8 EC number: 603-719-3	pumice Que Irrit. 2, H319; STOT SE 3, H335	25-50%
	▼ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
CAS: 12001-85-3	Naphthenic acids, zinc salts	≥0.25-<1%
EINECS: 234-409-2	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 65997-15-1	Cement, portland, chemicals	≥0.1-<1%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	-
		(Contd. on page 3)

GB-FN



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

_			(Contd. of page 2)
	CAS: 68475-76-3	Flue dust, portland cement	≥0.1-<1%
	EINECS: 270-659-9 Reg.nr.: 01-2119486767-17		
	CAS: 1314-13-2	zinc oxide	≥0.25-<1%
	EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32	local Acute 1, H400; Aquatic Chronic 1, H410	
	CAS: 90-30-2	N-1-naphthylaniline	≥0.1-<0.25%
	EINECS: 201-983-0	STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1B, H317	
	· Additional information: For	the wording of the listed hazard phrases refer to section	n 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

GB-EN



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 11
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

(Contd. on page 5) GB-EN

(Contd. of page 3)

jB-EN —



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

· Penetration time of glove material

(Contd. of page 4)

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information Physical state	Solid
Colour:	According to product specification
Odour:	Recognisable
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
PH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	1.768 g/cm³
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	See item 3.
9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Pasty
-	(Contd. on page



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

	(Contd. of page
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	100.0.0/
Solids content:	100.0 %
Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical haz	ard
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

\cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB-EN



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

	(Contd. of pag
1314-13-2	
	>5000 mg/kg (rat)
	-naphthylaniline
	1625 mg/kg (rat)
· Serious ey	sion/irritation Based on available data, the classification criteria are not met. e damage/irritation ious eye irritation.
· Respirator	y or skin sensitisation Based on available data, the classification criteria are not me nutagenicity
	vailable data, the classification criteria are not met.
· Carcinoge	nicity Based on available data, the classification criteria are not met.
	ive toxicity Based on available data, the classification criteria are not met.
	le exposure May cause respiratory irritation.
	ated exposure Based on available data, the classification criteria are not met.
	hazard Based on available data, the classification criteria are not met. toxicological information:
	ts (acute toxicity, irritation and corrosivity) Not applicable.
	on Not applicable.
	lose toxicity Not applicable.
11.2 Inforn	nation on other hazards
· Endocrine	disrupting properties
None of the	ingredients is listed.
SECTION	12: Ecological information
· 12.1 Toxici	ty
	kicity: No further relevant information available.
	tence and degradability No further relevant information available.
	cumulative potential No further relevant information available.
	ty in soil No further relevant information available. ts of PBT and vPvB assessment
• PBT: Not a	
· vPvB: Not	
	rine disrupting properties
	t does not contain substances with endocrine disrupting properties.
	adverse effects
	armful to fish
	ecological information:
General no	
	rd class 1 (German Regulation) (Self-assessment): slightly hazardous for water w undiluted product or large quantities of it to reach ground water, water course .tem.
	aquatic organisms

Harmful to aquatic organisms

(Contd. on page 8)

GB-EN



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number ADR/ADN, IMDG, IATA	not regulated
ADN	not regulated
14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA Class	not regulated
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordin IMO instruments	n g to Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
IMDG	
Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified i packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
UN "Model Regulation":	not regulated

(Contd. on page 9)



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

Trade name: GRF KOLMAT JR 875G*12 L58

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritationThe classification of the mixture is generallySpecific target organ toxicity (single exposure)based on the calculation method usingHazardous to the aquatic environment - long-
term (chronic) aquatic hazardsubstance data according to Regulation (EC) No
1272/2008.

· Department issuing SDS: Bison QESH

· Contact: Reach coordinator

Date of previous version: 28.06.2022

• Version number of previous version: 19

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)



Printing date 13.02.2023

Version number 20 (replaces version 19)

Revision: 19.08.2022

GB-EN

Trade name: GRF KOLMAT JR 875G*12 L58

(Contd. of page 9) CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered.