

Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024


SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: GRF WDF-05 BO 250ML*12 ENDE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International B.V. Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

Further information obtainable from: PSRA 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111





Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

(Contd. of page 1)

Trade name: GRF WDF-05 BO 250ML*12 ENDE

· Hazard pictograms



- Signal word Danger
- · Hazard-determining components of labelling:
- tetrahydrofuran
- butanone
- · Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with national regulations.
- Additional information:
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- tetrahydrofuran
- butanone

Hazard statements

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P261 Avoid breathing vapours.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P501 Dispose of contents/container in accordance with national regulations.

(Contd. on page 3)

GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

(Contd. of page 2)

Trade name: GRF WDF-05 BO 250ML*12 ENDE

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

· Determination of endocrine-disrupting properties

78-93-3 butanone

List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Adhesive

 Dangerous components: 		
CAS: 109-99-9 EINECS: 203-726-8 Index number: 603-025-00-0 Reg.nr.: 01-2119444314-46	tetrahydrofuran	≥50-<80%
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3 Reg.nr.: 01-2119457290-43	butanone Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints. No special measures required.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze

Alcohol resistant foam

(Contd. on page 4)

www.griffon.eu



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

Fire-extinguishing powder Carbon dioxide

(Contd. of page 3)

· For safety reasons unsuitable extinguishing agents: Water with full jet

- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
 Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.

 Information about fire - and explosion protection:
 Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

(Contd. of page 4)

	ntrol parameters	alues that require monitori	ng at the workplace:	
-	-9 tetrahydrofura	•	ng at the workplace.	
	-	300 mg/m ³ , 100 ppm		
L	ong-term value: 1	g-term value: 150 mg/m³, 50 ppm		
	Sk 3 butanone			
	Short-term value: 899 mg/m ³ , 300 ppm			
L	ong-term value: 6	ig-term value: 600 mg/m³, 200 ppm		
5	Sk, BMGV			
DNEL				
	3 butanone	- 1. L	04	
Oral		al, longterm exposition	31 mg/kg bw/day	
Derma		al, longterm exposition ermal, longterm exposition	1161 mg/kg bw/day (rat)	
Inhalat		ative, longterm exposition	412 mg/kg bw/day 600 mg/m³ (rat)	
minalat		halative, longterm exposition	,	
PNEC			100 mg/m	
	3 butanone			
Fresh		55.8 mg/l		
Fresh	water sediment	284.7 mg/kg dry weight (rat)		
Marine	water	55.8 mg/l		
	sediment	284.7 mg/kg dry weight (rat)		
Soil		22.5 mg/kg		
Sewage treatment plant 709 mg/l (rat)				
•	lic release	55.8 mg/l (rat)		
-	-	jical limit values:		
	3 butanone			
DIVIGV	BMGV 70 µmol/L Medium: urine			
Sampling time: post shift				
۸ ما ما : ۱ :	Parameter: buta		ling ware used as basis	
		: The lists valid during the ma	iking were used as basis.	
	posure controls	ig controls No further data; s	see section 7	
		leasures, such as personal		
Genera	al protective and	hygienic measures:		
			to when handling chemicals.	
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing				

GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

(Contd. of page 5)

Trade name: GRF WDF-05 BO 250ML*12 ENDE

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Use suitable respiratory protective device in case of insufficient ventilation.
- · Recommended filter device for short term use: Filter A
- Hand protection

Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

- Butvl rubber. BR
- Nitrile rubber. NBR

Recommended thickness of the material: > 0,7 mm

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).

Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling Body protection: Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification Characteristic · Odour: · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 65.5 °C Flammability Highly flammable.

(Contd. on page 7)

GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

	(Contd. of page
Lower and upper explosion limit	
Lower:	1.5 Vol %
Upper:	12 Vol %
Flash point:	-21 °C
Auto-ignition temperature:	230 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	675 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	200 hPa
Vapour pressure at 20 °C:	550 hPa
Density and/or relative density	550 HF a
	0.005.0.006/3
Density at 20 °C:	0.965-0.966 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th mixture. All non-determined data are no measurable or not relevant for th
A	characterization of the mixture.
Appearance:	Field
Form:	Fluid
Important information on protection of hea	Ith
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
	explosive all/vapour mixtures are possible.
Solvent content:	
Solvent content: Organic solvents:	82.9 %
Organic solvents: Water:	82.9 %
Organic solvents: Water: VOC (EC)	82.9 % 0.0 %
Organic solvents: Water: VOC (EC) Solids content:	82.9 % 0.0 % 82.92 %
Organic solvents: Water: VOC (EC) Solids content: Change in condition	82.9 % 0.0 % 82.92 % 16.9 %
Organic solvents:	82.9 % 0.0 % 82.92 % 16.9 % Not determined.
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate	82.9 % 0.0 % 82.92 % 16.9 % Not determined.
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes	82.9 % 0.0 % 82.92 % 16.9 % Not determined.
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives	82.9 % 0.0 % 82.92 % 16.9 % Not determined.
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases	82.9 % 0.0 % 82.92 % 16.9 % Not determined. ird Void Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ird Void Void Void Void Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ird Void Void Void Void Void Void Void Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ird Void Void Void Void Void Void Void Void Void Void Void Void Void Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ind Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ind Void
Organic solvents: Water: VOC (EC) Solids content: Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	82.9 % 0.0 % 82.92 % 16.9 % Not determined. Ind Void

⁻ GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

		(Contd. of page 7)
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

109-99-9 tetrahydrofuran

Oral LD50 2500 mg/kg (rat)

78-93-3 butanone

Oral	LD50	>2193 mg/kg (rat)
Dermal	LD50	>8050 mg/kg (rabbit)
Inhalative	LC50/4 h	>5000 mg/l (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Germ cell mutagenicity
- Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

(Contd. on page 9)

GB



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

(Contd. of page 8)

Trade name: GRF WDF-05 BO 250ML*12 ENDE

· Sensitisation Not applicable.

- Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards

• Endocrine disrupting properties

78-93-3 butanone

List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number		
ADR/ADN, IMDG, IATA	UN1133	
14.2 UN proper shipping name		
ADR/ADN	1133 ADHESIVES	
IMDG, IATA	ADHESIVES	



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

	(Contd. of page
 14.3 Transport hazard class(es) 	
· ADR/ADN	
\mathbf{V}	
	3 (F1) Flammable liquids.
	3
· Class · Label	3 Flammable liquids. 3
	5
· 14.4 Packing group · ADR/ADN, IMDG, IATA	111
· 14.5 Environmental hazards:	
• Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code	e): -
· EMS Number: · Stowage Category	F-E,S-D A
 14.7 Maritime transport in bulk according 1 IMO instruments 	Not applicable.
· Transport/Additional information:	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
ADR/ADN	_
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1
Excepted quantities (LW)	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 100
· Transport category	ml 3
· Tunnel restriction code	E
·IMDG	
· Limited quantities (LQ)	5L
 Excepted quantities (EQ) 	Code: E1 Maximum pat quantity par inpar packaging: 20 m
	Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 100
	ml
· Remarks:	For substances with class 3 according to IMDC
	Code chapter 2.3.2.2 packing group is classifie in packing group III, as viscosity is in accordance
	(Contd. on page 1



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

(Contd. of page 10)

UN "Model Regulation":

UN 1133 ADHESIVES, 3, III

with requirements (flow time t > 100s).

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Regulation (EC) No 273/2004 on drug precursors

78-93-3 butanone

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

78-93-3 butanone

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Flammable liquids	Bridging principles
	The classification of the mixture is generally based
	on the calculation method using substance data
Specific target organ toxicity (single exposure)	according to Regulation (EC) No 1272/2008.

· Department issuing SDS: PSRA

(Contd. on page 12)

3

3



Printing date 21.06.2024

Version number 33 (replaces version 32)

Revision: 21.06.2024

Trade name: GRF WDF-05 BO 250ML*12 ENDE

	(Contd. of page 11)
· Contact: PSRA	
Date of previous version: 17.05.2024	
Version number of previous version: 32	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuse	es par route (European Agreement Concerning
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemica	als
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society))
VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (UK REACH)	
PNEC: Predicted No-Effect Concentration (UK REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
$31013 \equiv 3.5$ specific larger organ toxicity (single exposure) – Category 3	